

MSU 598 - 678

fiac
AIR COMPRESSORS

- Studiato per officine mobili
- Avviamento a strappo o elettrico
- Motori Diesel LOMBARDINI

- Designed for mobile workshops
- Electric or manual starting
- LOMBARDINI Diesel Engine



POWERED by
LOMBARDINI

Gruppo pompante alta prestazione
High performances pumps

Generatore mono o trifase
Single or three phases generator

Riduttore integrato
Integrated pressure reducer



Serbatoio 200 Lt
approvato CE 15 bar
200 Lt tank at 15 bar
CE approved



Type	Tank Capacity		Flow				Pressure	Power	Pump	Stroke	Speed	Noise	Dimensions	Weight
	l	l/min	CFM	m ³ /h	bar	psi								
MSU 598/200 *	200	540	19	32,4	14	203	11	AB 598	2/2	1140	82	1460x460x1140 57.5x18.1x44.9	195 430	
MSU 598/200 * ○	200	540	19	32,4	14	203	11	AB 598	2/2	1140	82	1460x460x1140 57.5x18.1x44.9	200 441	
MSU 678/200 •	200	585	20.6	63,5	14	203	11	AB 678	2/2	890	82	1460x460x1140 57.5x18.1x44.9	215 474	
MSU 678/200 • ○	200	585	20.6	63,5	14	203	11	AB 678	2/2	890	82	1460x460x1140 57.5x18.1x44.9	220 485	

- * Generatore mono e trifase (2 kVA monofase - 5,5 kVA trifase) / Single and three phase generator (2 kVA single phase / 5,5 kVA three phase)
- Generatore monofase (3 kVA) / Single phase generator (3 kVA)
- Versioni con avviamento elettrico / Electric start versions

FIAC Air Compressors S.p.A.
Via Vizzano, 23 - 40037 Pontecchio Marconi (Bologna) Italy
Tel.: +39 051 67.86.811 • Fax: +39 051 84.52.61 - fiac@fiac.it - www.fiac.it



on
www.fiac.it App Store